CONTENTS

Infrared studies of structural phase transitions in $[NH_2(CH_3)_2]_3SbBr_6$
G. Bator, R. Jakubas, I. Majerz and Z. Malarski (Wrocław, Poland) 1
Towards the absolute determination of the conformation in thioester compounds through the first pre-resonance Raman study in X–NSO molecules. Preparation and properties of *S*(*N*-sulfinylimine)chlorocarbonylsulphane, ClC(O)SNSO: IR, pre-resonant Raman, ^{13}C NMR, mass and UV spectroscopic and conformational study
C.O. Della Védova (La Plata, Argentina) 9
The vibrational spectra of a simple peroxide: FC(O)OOC(O)F
C.O. Della Védova (La Plata, Argentina), H.-G. Mack (Tübingen, Germany) 25
SERS of AMP on different silver colloids
S. Sánchez-Cortés and J.V. García-Ramos (Madrid, Spain) 33
The vibrational spectra of gaseous and liquid tetraethoxysilane
M.G.M. van der Vis and R.J.M. Konings (Petten, The Netherlands), A. Oskam and T.L. Snoeck (Amsterdam, The Netherlands) 47
Raman spectroscopy of phenylacetylene adsorbed on silver surfaces
T.W. Lee, K. Kim and M.S. Kim (Seoul, South Korea) 59
Basicity, IR spectra and protonation of some proton sponges in acetonitrile
B. Brzeziński and G. Schroeder (Poznań, Poland), E. Grech (Szczecin, Poland), Z. Malarski and L. Sobczyk (Wrocław, Poland) 75
Kinetic and equilibrium studies of the proton and deuteron transfer reaction between diarylcyanomethanes and 1,2-bis(dialkylaminomethyl)benzene in acetonitrile
G. Schroeder, B. Brzeziński and A. Jarczewski (Poznań, Poland) 83
Molecular simulation of the complexation effects on conformations and electronic absorption spectra of crown ether styryl dyes
I.I. Baskin, K.Ya. Burshtein, A.A. Bagatur'yants, S.P. Gromov and M.V. Alfimov (Moscow, Russian Federation) 93
Self-association of pyridine monocarboxylic acids and their esters in aqueous solution. A study by ultraviolet spectroscopy
F. Peral and E. Gallego (Madrid, Spain) 105
Microwave spectral study of 3-chloropropionitrile and 3-bromopropionitrile
S. Xu and M.D. Harmony (Lawrence, KS, USA) 115
Structure and spectroscopic characteristics of Schiff bases of salicylaldehyde with 2,3-diaminopyridine
Z. Cimerman, N. Galešić and B. Bosner (Zagreb, Croatia) 131
Disordered H-bonding in phthalazine 1-methyl-5-tetrazolethione
K. Woźniak and T.M. Krygowski (Warsaw, Poland), E. Grech (Szczecin, Poland) 145
Complexes of the "proton sponge" 1,8-bis(dimethylamino)naphthalene (DMAN). Part 7. The occurrence of a very short asymmetric intermolecular hydrogen bond in the 100 K structure of $[DMANH]^+ \cdot$ [D-hydrogentartrate]$^- \cdot$ trihydrate
O.R. Israël and J.A. Kanters (Utrecht, The Netherlands), E. Grech (Szczecin, Poland) 151
Perfluoro-1,2-dioxolane. A new synthesis and its gas-phase structure
A. Jin and H.-G. Mack (Tübingen, Germany), A. Waterfeld (Bochum, Germany), M. Dakkouri (Ulm, Germany), H. Oberhammer (Tübingen, Germany) 163
Spectroscopic studies of thiatri-, penta- and heptamethine cyanine dyes. I. Structure of thiatri-, penta- and heptamethine cyanine dyes in solutions studied by NMR
N. Katayama and Y. Ozaki (Nishinomiya, Japan), S. Yasui (Okayama, Japan), K. Iriyama (Tokyo, Japan) 171
Spectroscopic studies of thiatri-, penta- and heptamethine cyanine dyes. II. Infrared and resonance Raman spectra of thiatri-, penta- and heptamethine cyanine dyes
Y. Fujimoto, M. Katayama and Y. Ozaki (Nishinomiya, Japan), S. Yasui (Okayama, Japan), K. Iriyama (Tokyo, Japan) 183

Conformational study of bis(2-substituted-benzimidazol-1-yl)methanes by Kerr effect and dipole moment methods
S.B. Bulgarevich, M.D. Gruntfest and D.Ya. Movshovich (Rostov on Don, Russian Federation), V. Bobosik, R.M. Claramunt, C. López and J. Elguero (Madrid, Spain) 197

C,O atomic motion associated with solid-state proton transfer in enolic 1,3-diketones
A.J. Vila, C.M. Lagier and A.C. Olivieri (Rosario, Argentina) 215

Mobile and static molecular disorder in liquids
P.L. Huyskens (Heverlee, Belgium) 223

A theoretical study of the vibrational spectra of imidazole and its different forms
J. Sadlej, A. Jaworski and K. Miaskiewicz (Warsaw, Poland) 247

Conformational analysis of tricylic systems including the N–C–O unit by molecular mechanics. IV. Perhydrocycloalkane [e] pyrido[1,2-*c*]-1,3-oxazines
L. Carballeira (Vigo, Spain), B. Fernández (Santiago de Compostela, Spain), A. Miranda (Vigo, Spain) 259

Geometrical structure of $CH_3ClX(\mu\text{-}Cl)_2XClCH_3$ (X = Al, Ga): experimental versus ab initio calculations
G.J. Mains (Stillwater, OK, USA), C.W. Bock and M. Trachtman (Philadelphia, PA, USA), V.S. Mastryukov (Austin, TX, USA) 277

Normal mode analysis of glycine dipeptide in crystal conformation using a scaled ab initio force field
T.C. Cheam (New Orleans, LA, USA) 289

Book Reviews 311
Author Index 319
Subject Index 321